



OHIO AUDITOR OF STATE  
**KEITH FABER**





# OHIO AUDITOR OF STATE KEITH FABER



65 East State Street  
Columbus, Ohio 43215  
[ContactUs@ohioauditor.gov](mailto:ContactUs@ohioauditor.gov)  
800-282-0370

## BASIC AUDIT REPORT

Troy Township Waste Water District  
Ashland County  
P.O. Box 55  
Nova, Ohio 44859

We have completed certain procedures in accordance with Ohio Rev. Code § 117.01(G) to the accounting records and related documents of the Troy Township Waste Water District, Ashland County, (the District) for the years ended December 31, 2024 and 2023.

Our procedures were designed solely to satisfy the audit requirements of Ohio Rev. Code § 117.11(A). Because our procedures were not designed to opine on the District's financial statements, we did not follow *generally accepted auditing standards*. We do not provide any assurance on the District's financial statements, transactions or balances for the years ended December 31, 2024 and 2023.

The District's management is responsible for preparing and maintaining its accounting records and related documents. Our responsibility under Ohio Rev. Code § 117.11(A) is to examine, analyze and inspect these records and documents.

Based on the results of our procedures, we found no significant compliance or accounting issues to report.

KEITH FABER  
Ohio Auditor of State

Tiffany L. Ridenbaugh, CPA, CFE, CGFM  
Chief Deputy Auditor

August 25, 2025

**THIS PAGE INTENTIONALLY LEFT BLANK**

# OHIO AUDITOR OF STATE KEITH FABER



TROY TOWNSHIP WASTE WATER DISTRICT

ASHLAND COUNTY

## AUDITOR OF STATE OF OHIO CERTIFICATION

This is a true and correct copy of the report, which is required to be filed pursuant to Section 117.26, Revised Code, and which is filed in the Office of the Ohio Auditor of State in Columbus, Ohio.



Certified for Release 9/4/2025

65 East State Street, Columbus, Ohio 43215  
Phone: 614-466-4514 or 800-282-0370

This report is a matter of public record and is available online at  
[www.ohioauditor.gov](http://www.ohioauditor.gov)